# Author index


Abbott, T., see Gabev, E. (979) 105
Abumrad, N., see Ghishan, F.K. (979) 77
Afzelius, P., Demant, E.J.F., Hansen, G.H. and Buhl Jensen, P.
Covalent modification of serum transferrin with phospholipid and incorporation into liposomal membranes (979) 231
Al-Hasani, S., see Arnold, W.M. (979) 142
Antony, A.C. and Verma, R.S.
Hydrophobic erythrocyte folate binding proteins are converted to hydrophilic forms by trypsin in vitro (979) 62
Arduini, A., Storto, S., Belfiglio, M., Scurti, R., Mancinelli, G. and Federici, G.
Mechanism of spectrin degradation induced by phenylhydrazine in intact human erythrocytes (979) 1
Arnold, W.M., Schmutzler, R.K., Al-Hasani, S., Krebs, D. and Zimmermann, U.
Differences in membrane properties between unfertilised and fertilised single rabbit oocytes demonstrated by electro-rotation. Comparison with cells from early embryos (979) 142

Bach, D. and Wachtel, E.
Thermotropic properties of mixtures of negatively charged phospholipids with cholesterol in the presence and absence of $Li^+$ or $Ca^{2+}$ ions (979) 11
Bacso, Z., see Szabo Jr., G. (979) 365
Bakás, L.S. and Disalvo, E.A.
Effect of the asymmetric $Ca^{2+}$ distribution on the bilayer properties of phosphatidylcholine-sonicated vesicles (979) 352
Barker, E.D., see Kellett, G.L. (979) 311
Baum, C., see Brasitus, T.A. (979) 177
Belfiglio, M., see Arduini, A. (979) 1
Beppu, M., Ochiai, H. and Kikugawa, K.
Macrophage recognition of periodate-treated erythrocytes: Involvement of disulfide formation of the erythrocyte membrane proteins (979) 35
Beschiaschvili, G., see Schwarz, G. (979) 82
Bitter, W., see Bosch, D. (979) 69
Blank, M.E., see Wyse, J.W. (979) 127
Boegheim, J.P.J., Lagerberg, J.W.M., Dubbelman, T.M.A.R. and Van Steveninck, J.
Damaging action of photodynamic treatment in combination with hyperthermia on transmembrane transport in murine L929 fibroblasts (979) 215
Bolard, J., see Frézard, F. (979) 316
Bolt, M.J.G., see Brasitus, T.A. (979) 177
Borghgraef, R., see Van den Bosch, L. (979) 91
Bosch, D., De Boer, P., Bitter, W. and Tommassen, J.
The role of the positively charged N-terminus of the signal sequence of *E. coli* outer membrane protein PhoE in export (979) 69
Brasitus, T.A., Dudeja, P.K., Bolt, M.J.G., Sitrin, M.D. and Baum, C.
Dietary triacylglycerol modulates sodium-dependent D-glucose transport, fluidity and fatty acid composition of rat small intestinal brush-border membrane (979) 177
Brocklehurst, K.W. and Pollard, H.B.
Interaction of protein kinase C with chromaffin granule membranes: effects of $Ca^{2+}$, phorbol esters and temperature reveal differences in the properties of the association and dissociation events (979) 157
Buck, H.M., see Meulendijks, G.H.W.M. (979) 321
Buhl Jensen, P., see Afzelius, P. (979) 231
Butterfield, D.A., see Wyse, J.W. (979) 121
Butterfield, D.A., see Wyse, J.W. (979) 127

Carrasquer, G., see Schwartz, M. (979) 299
Castagna, M., see Frézard, F. (979) 316
Chanussot, F., see Martigne, M. (979) 341
Collins, P.A., see Morgan, K. (979) 53
Corman, B., see Van der Goot, F. (979) 272
Crowe, J.H., McKersie, B.D. and Crowe, L.M.
Effects of free fatty acids and transition temperature on the stability of dry liposomes (979) 7
Crowe, L.M., see Crowe, J.H. (979) 7
Cruzeiro-Hansson, L., Ipsen, J.H. and Mouritsen, O.G.
Intrinsic molecules in lipid membranes change the lipid-domain interfacial area: cholesterol at domain interfaces (979) 166
Cullis, P., see Tilcock, C. (979) 208

Damjanovich, S., see Szabo Jr., G. (979) 365
Davis, J.H., see Huschilt, J.C. (979) 139
De Boer, P., see Bosch, D. (979) 69
Demant, E.J.F., see Afzelius, P. (979) 231
Dempsey, T., see Tilcock, C. (979) 208
Desideri, A., see Marcocci, L. (979) 99
De Smedt, H., see Van den Bosch, L. (979) 91
Diedrich, D.F., see Wyse, J.W. (979) 127
Di Giulio, A., see Marcocci, L. (979) 99
Disalvo, E.A., see Bakás, L.S. (979) 352
Domingo, N., see Martigne, M. (979) 341
Dubbelman, T.M.A.R., see Boegheim, J.P.J. (979) 215
Dubois, J.E., see Meulendijks, G.H.W.M. (979) 321
Dudeja, P.K., see Brasitus, T.A. (979) 177

East, J.M., see Munkonge, F. (979) 113
Egret-Charlier, M., see Privat, J.-P. (979) 257

Federici, G., see Arduini, A. (979) 1
Ferreras, J.M., Iglesias, R. and Girbés, T.
Effect of the chronic ethanol action on the activity of the general amino-acid permease from *Saccharomyces cerevisiae* var. *ellipsoideus* (979) 375
Fisher, D., see Tilcock, C. (979) 208
Frederik, P.M., Stuart, M.C.A. and Verkleij, A.J.
Intermediary structures during membrane fusion as observed by cryo-electron microscopy (979) 275
Frézard, F., Garnier-Suillerot, A., Bolard, J. and Castagna, M.
Membrane–phorbol ester interactions monitored by circular dichroism (979) 316

Gabev, E., Kasianowicz, J., Abbott, T. and McLaughlin, S.
Binding of neomycin to phosphatidylinositol 4,5-bisphosphate ($PIP_2$) (979) 105
Galtier, N., see Gibrat, R. (979) 46
Garnier-Suillerot, A., see Frézard, F. (979) 316
Ghishan, F.K., Sutter, W., Said, H., Leonard, D., Pietsch, J. and Abumrad, N.
Glutamine transport by rat basolateral membrane vesicles (979) 77

Gibrat, R., Grouzis, J.-P., Rigaud, J., Galtier, N. and Grignon, C.
Electrostatic analysis of effects of ions on the inhibition of corn root plasma membrane $Mg^{2+}$-ATPase by the bivalent orthovanadate (979) 46
Giménez, C., see Zafra, F. (979) 147
Girbés, T., see Ferreras, J.M. (979) 375
Gombos, Z., see Vigh, L. (979) 361
Gomez, Jr., B. and Tappel, A.L.
Selenoprotein P receptor from rat (979) 20
Graf, J., see Thalhammer, T. (979) 371
Grignon, C., see Gibrat, R. (979) 46
Grouzis, J.-P., see Gibrat, R. (979) 46

Hansen, G.H., see Afzelius, P. (979) 231
Hauser, H., see Lipka, G. (979) 239
Hauton, J.C., see Martigne, M. (979) 341
Hevessy, J., see Szabo Jr., G. (979) 365
Horváth, I., see Vigh, L. (979) 361
Huschilt, J.C., Millman, B.M. and Davis, J.H.
Orientation of α-helical peptides in a lipid bilayer (979) 139

Iglesias, R., see Ferreras, J.M. (979) 375
IJzerman, A.P., Menkveld, G.J. and Thedinga, K.H.
A refined method for the photoaffinity labelling of the nitrobenzylthioinosine-sensitive nucleoside transport protein: Application to cell membranes of calf lung tissue (979) 153
Ilundáin, A., see Montero, M.C. (979) 269
Ipsen, J.H., see Cruzeiro-Hansson, L. (979) 166

Jarvis, S.M.
Characterization of sodium-dependent nucleoside transport in rabbit intestinal brush-border membrane vesicles (979) 132
Johanson, C.E., see Murphy, V.A. (979) 187
Joó, F., see Vigh, L. (979) 361

Kamaya, H., see Yoshida, T. (979) 287
Kasal, A., see Kolena, J. (979) 279
Kasianowicz, J., see Gabev, E. (979) 105
Kellett, G.L. and Barker, E.D.
The effect of vanadate on glucose transport and metabolism in rat small intestine (979) 311
Khalifah, R.G., see Veiro, J.A. (979) 251
Kikugawa, K., see Beppu, M. (979) 35
Kleinzeller, A., see Widdas, W.F. (979) 221
Kolena, J. and Kasal, A.
Effects of cholesteryl esters on the accessibility of LH/hCG receptors and membrane lipid fluidity in rat testes (979) 279
Kongsamut, S., see Nachshen, D.A. (979) 305
Krebs, D., see Arnold, W.M. (979) 142
Kremers, J.A., see Meulendijks, G.H.W.M. (979) 321

Labbé, H., see Privat, J.-P. (979) 257
Lafont, H., see Martigne, M. (979) 341
Lagerberg, J.W.M., see Boegheim, J.P.J. (979) 215
Lee, A.G., see Munkonge, F. (979) 113
Legrum, B. and Passow, H.
Inhibition of inorganic anion transport across the human red blood cell membrane by chloride-dependent association of dipyridamole with a stilbene disulfonate binding site on the band 3 protein (979) 193
Leonard, D., see Ghishan, F.K. (979) 77
Lipka, G. and Hauser, H.
Phase behaviour of mixtures of lipid X with phosphatidylcholine and phosphatidylethanolamine (979) 239

Mahlberg, F., see Martigne, M. (979) 341
Mancinelli, G., see Arduini, A. (979) 1
Marcocci, L., Mavelli, I., Di Giulio, A., Pedersen, J.Z., Desideri, A. and Rotilio, G.
Room temperature electron spin resonance of superoxide dismutase-loaded liposomes and erythrocytes. A direct approach to the interaction of $O_2^-$ with cells (979) 99
Martigne, M., Melin, B., Mahlberg, F., Domingo, N., Chanussot, F., Lafont, H. and Hauton, J.C.
Detection and characterization of anionic polypeptidic fraction binding sites in rat liver plasma membranes and cultured hepatocytes (979) 341
Mavelli, I., see Marcocci, L. (979) 99
Maynard, C.L., see Wyse, J.W. (979) 127
McKersie, B.D., see Crowe, J.H. (979) 7
McLaughlin, S., see Gabev, E. (979) 105
Melin, B., see Martigne, M. (979) 341
Menkveld, G.J., see IJzerman, A.P. (979) 153
Meulendijks, G.H.W.M., Sonderkamp, T., Dubois, J.E., Nielen, R.J., Kremers, J.A. and Buck, H.M.
The different influences of ether and ester phospholipids on the conformation of gramicidin A. A molecular modelling study (979) 321
Millman, B.M., see Huschilt, J.C. (979) 139
Mir, M.A., see Morgan, K. (979) 53
Montero, M.C. and Ilundáin, A.
Effects of anisosmotic buffers on $K^+$ transport in isolated chicken enterocytes (979) 269
Morgan, K., Spurlock, G., Collins, P.A. and Mir, M.A.
Interaction of inhibitin with the human erythrocyte $Na^+(Li^+)_i/Na_o^+$ exchanger (979) 53
Mouritsen, O.G., see Cruzeiro-Hansson, L. (979) 166
Munkonge, F., East, J.M. and Lee, A.G.
Positions of the sites labeled by *N*-cyclohexyl- *N'*-(4-dimethylamino-1-naphthyl)carbodiimide on the $(Ca^{2+} + Mg^{2+})$-ATPase (979) 113
Murphy, V.A. and Johanson, C.E.
Alteration of sodium transport by the choroid plexus with amiloride (979) 187

Nachshen, D.A. and Kongsamut, S.
'Slow' $K^+$-stimulated $Ca^{2+}$ influx is mediated by $Na^+$–$Ca^{2+}$ exchange: a pharmacological study (979) 305
Nielen, R.J., see Meulendijks, G.H.W.M. (979) 321

Ochiai, H., see Beppu, M. (979) 35
Okabayashi, H., see Yoshida, T. (979) 287
Owicki, J.C., see Saxton, M.J. (979) 27

Passamonti, S. and Sottocasa, G.L.
The role of sulfhydryl groups in sulfobromophthalein transport in rat liver plasma membrane vesicles (979) 294
Passow, H., see Legrum, B. (979) 193
Pedersen, J.Z., see Marcocci, L. (979) 99
Peterlik, M., see Thalhammer, T. (979) 371
Pietsch, J., see Ghishan, F.K. (979) 77
Pollard, H.B., see Brocklehurst, K.W. (979) 157
Privat, J.-P., Egret-Charlier, M., Labbé, H. and Ptak, M.
Interaction of clathrin coat proteins with unilamellar and multilamellar vesicles of phosphatidylcholine (979) 257
Ptak, M., see Privat, J.-P. (979) 257

Rédai Jr., I., see Szabo Jr., G. (979) 365
Rehm, W.S., see Schwartz, M. (979) 299
Rigaud, J., see Gibrat, R. (979) 46
Ripoche, P., see Van der Goot, F. (979) 272
Rock, P., Thompson, T.E. and Tillack, T.W.
Persistence at low temperature of the $P_{\beta'}$ ripple in dipalmitoylphosphatidylcholine multilamellar vesicles containing either glycosphingolipids or cholesterol (979) 347

Rotilio, G., see Marcocci, L. (979) 99
Rowe, E.S., see Veiro, J.A. (979) 251

Said, H., see Ghishan, F.K. (979) 77
Saxton, M.J. and Owicki, J.C.
Concentration effects on reactions in membranes: rhodopsin and transducin (979) 27
Schmutzler, R.K., see Arnold, W.M. (979) 142
Schwartz, M., Wu, J., Carrasquer, G. and Rehm, W.S.
Potential difference responses to nutrient $K^+$, $Na^+$ and $Cl^-$ changes with varying nutrient $HCO_3^-$ in resting frog stomach (979) 299
Schwarz, G. and Beschiaschvili, G.
Thermodynamic and kinetic studies on the association of melittin with a phospholipid bilayer (979) 82
Scurti, R., see Arduini, A. (979) 1
Sitrin, M.D., see Brasitus, T.A. (979) 177
Sonderkamp, T., see Meulendijks, G.H.W.M. (979) 321
Sottocasa, G.L., see Passamonti, S. (979) 294
Spurlock, G., see Morgan, K. (979) 53
Storto, S., see Arduini, A. (979) 1
Stuart, M.C.A., see Frederik, P.M. (979) 275
Sutter, W., see Ghishan, F.K. (979) 77
Szabo Jr., G., Rédai Jr., I., Bacso, Z., Hevessy, J. and Damjanovich, S.
Light-induced permeabilization and Merocyanine 540 staining of mouse spleen cells (979) 365

Tappel, A.L., see Gomez, Jr., B. (979) 20
Thalhammer, T., Peterlik, M. and Graf, J.
Membrane potential measurements in isolated rat liver plasma membrane vesicles: Effect of transmembrane ion concentration gradients (979) 371
Thedinga, K.H., see IJzerman, A.P. (979) 153
Thompson, K.A., see Widdas, W.F. (979) 221
Thompson, T.E., see Rock, P. (979) 347
Tilcock, C., Cullis, P., Dempsey, T., Youens, B.N. and Fisher, D.
Aqueous two-phase polymer partitioning of lipid vesicles of defined size and composition (979) 208
Tillack, T.W., see Rock, P. (979) 347
Tommassen, J., see Bosch, D. (979) 69

Ueda, I., see Yoshida, T. (979) 287

Van den Bosch, L., De Smedt, H. and Borghgraef, R.
Characteristics of $Na^+$-dependent hexose transport in OK, an established renal epithelial cell line (979) 91
Van der Goot, F., Ripoche, P. and Corman, B.
Determination of solute reflection coefficients in kidney brush-border membrane vesicles by light scattering: influence of the refractive index (979) 272
Van Steveninck, J., see Boegheim, J.P.J. (979) 215
Veiro, J.A., Khalifah, R.G. and Rowe, E.S.
The polymorphic phase behavior of dielaidoylphosphatidylethanolamine. Effect of *n*-alkanols (979) 251
Verkleij, A.J., see Frederik, P.M. (979) 275
Verma, R.S., see Antony, A.C. (979) 62
Vigh, L., Gombos, Z., Horváth, I. and Joó, F.
Saturation of membrane lipids by hydrogenation induces thermal stability in chloroplast inhibiting the heat-dependent stimulation of Photosystem I-mediated electron transport (979) 361

Wachtel, E., see Bach, D. (979) 11
Wheeler, T.J.
Effects of three proposed inhibitors of adipocyte glucose transport on the reconstituted transporter (979) 331
Widdas, W.F., Kleinzeller, A. and Thompson, K.A.
The accumulation of free and phosphorylated sugars in adipocytes based on a dynamic diffusion barrier (979) 221
Wu, J., see Schwartz, M. (979) 299
Wyse, J.W. and Butterfield, D.A.
Interaction of hemin with erythrocyte membranes: alterations in the physical state of the major sialoglycoprotein (979) 121
Wyse, J.W., Blank, M.E., Maynard, C.L., Diedrich, D.F. and Butterfield, D.A.
Electron spin resonance investigation of the interaction of the anion and glucose transport inhibitor, *p*-azidobenzylphlorizin, with the human red cell membrane (979) 127

Yoshida, T., Okabayashi, H., Kamaya, H. and Ueda, I.
Saturable and unsaturable binding of a volatile anesthetic enflurane with model lipid vesicle membranes (979) 287
Youens, B.N., see Tilcock, C. (979) 208

Zafra, F. and Giménez, C.
The role of chloride ions on the transport of glycine in plasma membrane vesicles from glial cells (979) 147
Zimmermann, U., see Arnold, W.M. (979) 142